





[illegible]






TV with Stand(Inside)



				MODEL: K-SS560		PRICE 3D: 00_SONY_55OLED_ALL		PRICE 2D: SONY_OLED_6V	
TOLERANCE UNLESS OTHERWISE SPECIFIED (mm)				TOLERANCES UNLESS OTHERWISE SPECIFIED					
RANGE OF DIM.		METAL & PLASTIC	POLYIMIDE	CARTON	LIN SCALE	UNITS	DIMENSIONS ANGLE	FRACTIONS	DECIMALS
0 - 20					0.250		THIRD ANGLE		
30 - 60									
60 - 120		±0±2.0							
120 - 300									
300 - 600									
600 - 1200		±0/±3.0							
1200 - UPON		±0/±4.0							
ANGLE SHEET METAL) 0.5°									
Internal Dimensions of Plastic: Screw Boss									
DRAWN				DATE		02-MAR-26			
CHECK				DATE					
2.5				2.5		2.6		2.7	







TV with Stand(Inside for Soundbar)



TOLERANCE UNLESS OTHERWISE SPECIFIED (mm)				MODEL: K-SS60		PROJ 3D: 00_SONY_SSOLED_ALL		PROJ 2D: SONY_OLED_6V	
RANGE OF DIM.	METAL & PLASTIC	POLYFOAM	CARTON	UNIT	TOLERANCE UNLESS OTHERWISE STATED	SCALE	1st PROJ.	TOLERANCE	MATERIAL
0 ~ 30	±0.10			mm		0.250			
30 ~ 60	±0.15								
60 ~ 120	±0.20	±0.20							
120 ~ 300	±0.25								
300 ~ 600	±0.30								
600 ~ 1200	±0.40	±0.50							
1200 ~ L.P.C.N.	±0.50	±0.60							
ANGLE (SHEET METAL)				± 0.5°					
Internal Diameter of Plastic Screw Boss				± 0.05					
DRAWN				DATE		02-Mar-24		TPV Technology Ltd.	
CHECK				DATE				TPV Technology Ltd.	
1				4-2		1/28		TPV Technology Ltd.	

TV Only


24		25	26	27	28
ITEM		ECN NO.	POSITION	REVISION LIST DESCRIPTION WAS IS	DATE UPDATED BY APPROVED BY



M6 HOLES FOR WALL MOUNT BRACKET
*REFER TO INSTRUCTION MANUAL FOR SCREW LENGTH INFORMATION

M6 HOLES FOR SECURING HARDWARE
(BELT, ROPE OR CHAIN)

For ALL Model






TOLERANCE UNLESS OTHERWISE SPECIFIED (mm)				UNIT mm	MODEL: K-55A60 DRAWING STATUS DRAWING SCALE		PROJ: 3D-00_SONY_SFOLED_ALL		PROJ: 2D-SONY_OLED_6V		
RANGE OF DIM.	METAL & PLASTIC	POLYFOAM	CARTON	SCALE	DRAWING SCALE		DRAWING SCALE		DRAWING SCALE		
0-30	±0.10			0.250	1:1		1:1		1:1		
30-60	±0.15				1:1		1:1		1:1		
60-120	±0.20				1:1		1:1		1:1		
120-180	±0.25				1:1		1:1		1:1		
180-240	±0.30				1:1		1:1		1:1		
240-300	±0.40				1:1		1:1		1:1		
300-600	±0.50				1:1		1:1		1:1		
600-1200	±0.60				1:1		1:1		1:1		
1200-UPON	±0.80				1:1		1:1		1:1		
ANGLE (SHEET METAL)				±0.5°							
Internal Diameter of Plastic Screw Boss				±0.05							
DRAWN				DATE		02-Mar-24				1/4-3	
CHECK				DATE						1/4-3	
6V Drawing										TPV Technology Ltd.	
TPV Technology Ltd.										TPV Technology Ltd.	

		REVISION LIST							
ITEM	ECN NO.	POSITION	DESCRIPTION	IS	DATE	UPDATED BY	APPROVED BY		

SU-WL450

STANDARD

SLIM



TOLERANCE UNLESS OTHERWISE SPECIFIED (mm)		UNIT		TOLERANCE UNLESS OTHERWISE SPECIFIED	
RANGE OF DIM.	METAL & PLASTIC	POLYFOAM	CARTON	SCALE	MATERIAL
0-30	±0.10			0.300	41 PPG
30-60	±0.15				
60-120	±0.20	+0/-2.0			
120-300	±0.25		+2.0/0		
300-600	±0.30				
600-1200	±0.40	+0/-3.0			
1200-UPON	±0.50	+0/-4.0			
ANGLE (SHEET METAL)		± 0.5°		DRAWN	
Internal Diameter of Plastic Screw Boss		±0.05		CHECK	
MODEL: K-SSA60		PROJ: 3D-00_SONY_SSOLED_ALL		PROJ: 2D-SONY_OLED_6V	
6V Drawing		Sony OLED 55"		DATE	
03-Mar-24		TPV Technology Ltd.		1 4-4 11:00 AM	
TPV Technology Ltd.		TPV Technology Ltd.		TPV Technology Ltd.	